

Bibliography

Hearing Health Hour: New Developments in Treating Hearing Loss and Related Conditions: Digital Therapeutics

Presented by Nancy Tye-Murray, Ph.D. | January 5, 2021 Watch Recording

Bieber RE, Gordon-Salant S. <u>Improving older adults' understanding of challenging speech:</u> <u>Auditory training, rapid adaptation and perceptual learning.</u>

Hear Res. 2021 Mar 15;402:108054. doi: 10.1016/j.heares.2020.108054. Epub 2020 Aug 7.

Sung Y-K, Li L, Blake C, Betz J, Lin FR. Association of hearing loss and loneliness in older adults. J Aging Health. 2015;28(6):979-994. Available at: http://journals.sagepub.com/doi/abs/10.1177/0898264315614570

Mener DJ, Betz J, Genther DJ, Chen D, Lin FR. Hearing loss and depression in older adults. *J Am Geriatr Soc.* September 2013. 61(9):1627-1629. Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3773611

Hsu W-T, Hsu C-C, Wen M-H, et al. Increased risk of depresson in patients with acquired sensory hearing loss: A 12-year follow-up study. *Medicine* (Baltimore). November 2016. 95(44):e5312. Available at:

https://insights.ovid.com/crossref?an=00005792-201611010-00076

Li C-M, Zhang X, Hoffman HJ, Cotch MF, Themann CL, Wilson MR. Hearing impairment associated with depression in US adults, National Health and Nutrition Examination Survey 2005-2010. JAMA Otolaryngol Head Neck Surg. April 2014;140(4):293-302.

Lin FR, Ferrucci L. Hearing loss and falls among older adults in the United States. Arch Intern Med. February 2012;172(4):369-371.

Friedland DR, Cederberg C, Tarima S. Audiometric pattern as a predictor of cardiovascular status: Development of a model for assessment of risk. Laryngoscope. March 2009;119(3):473–486.

Reed NS, Altan A, Deal JA, et al. Trends in health care costs and utilization associated with untreated hearing loss over 10 years. JAMA Otolaryngol Head Neck Surg.

2019;145(1):27-34.

Bainbridge KE, Hoffman HJ, Cowie CC. Diabetes and hearing impairment in the United States: Audiometric evidence from the National Health and Nutrition Examination Survey, 1999-2004. Ann Intern Med. July 2008;149(1):1-10.

Horikawa C, Kodama S, Tanaka S, et al. Diabetes and risk of hearing impairment in adults: A meta-analysis. J Clin Endocrinol Metab. January 2013;98(1):51-58.

Fisher D, Li C-M, Chiu MS, et al. Impairments in hearing and vision impact on mortality in older people: The AGES-Reykjavik Study. Age Ageing. January 2014;43(1):69-76.