

References for Hearing Health Hour
Chronic Childhood Ear Infections and Related Hearing Loss
January 31, 2022

Suggested reading and relevant websites:

- Otitis Media in Early Childhood: An NIDCD Virtual Workshop. October 8, 2020.
<https://www.nidcd.nih.gov/research/workshops/otitis-media-early-childhood/2020/summary>
- GBD 2019 Hearing Loss Collaborators. Hearing loss prevalence and years lived with disability, 1990-2019: findings from the Global Burden of Disease Study 2019. Lancet. 2021 Mar 13;397(10278):996-1009. doi: 10.1016/S0140-6736(21)00516-X. PMID: 33714390
- Global Burden of Disease Visualizations: Compare. <https://www.thelancet.com/lancet/visualisations/gbd-compare>

Bibliography:

- Agrawal M, Sabino J, Frias-Gomes C, Hillenbrand CM, Soudant C, Axelrad JE, Shah SC, Ribeiro-Mourão F, Lambin T, Peter I, Colombel JF, Narula N, Torres J. [SEP]Early life exposures and the risk of inflammatory bowel disease: Systematic review and meta-analyses. EClinicalMedicine. 2021 May 15;36:100884. doi: 10.1016/j.eclinm.2021.100884. PMID: 34308303
- Allen DZ, Challapalli S, McKee S, Lee KH, Bell CS, Roy S, Bowe S, Balakrishnan K, Chang CWD, Huang Z. Impact of COVID-19 on nationwide pediatric otolaryngology: Otitis media and myringotomy tube trends. Am J Otolaryngol. 2022 Jan 11;43(2):103369. doi: 10.1016/j.amjoto.2021.103369. PMID: 35033925
- Bernstein AS, Sun S, Weinberger KR, Spangler KR, Sheffield PE, Wellenius GA. [SEP]Warm Season and Emergency Department Visits to U.S. Children's Hospitals. Environ Health Perspect. 2022 Jan;130(1):17001. doi: 10.1289/EHP8083. PMID: 35044241
- Beyea JA, Cooke B, Rosen E, Nguyen P. Association of tympanostomy tubes with future assistive hearing devices – a population based study. BMC Pediatr 2020; 20:76. PMID: 32070307
- Bhattacharyya N, Shay SG. Epidemiology of pediatric tympanostomy tube placement in the United States. Otolaryngol Head Neck Surg 2020; 163:600-2. PMID: 32284005
- Bootpatch TC, Hafrén L, Elling CL, Baschal EE, Manichaikul AW, Pine HS, Szeremeta W, Scholes MA, Cass SP, Larson ED, Chan KH, Ishaq R, Prager JD, Shaikh RS, Gubbels SP, Yousaf A; University of Washington Center for Mendelian Genomics (UW-CMG), Wine TM, Bamshad MJ, Yoon PJ, Jenkins HA, Nickerson DA, Streubel SO, Friedman NR, Frank DN, Einarsdottir E, Kere J, Riazuddin S, Daly KA, Leal SM, Ryan AF, Mattila PS, Ahmed ZM, Sale MM, Chonmaitree T, Santos-Cortez RLP. Multi-omic studies on missense PLG variants in families with otitis media. Sci Rep. 2020 Sep 14;10(1):15035. doi: 10.1038/s41598-020-70498-w. PMID: 32929111
- Carrillo RJC, Yang NW, Abes GT. Probabilities of ossicular discontinuity in chronic suppurative otitis media using pure-tone audiometry. Otol Neurotol. 2007 Dec;28(8):1034-7. doi: 10.1097/MAO.0b013e31815882a6. PMID: 17921908
- Carroll JM, Breadmore HL. Not all phonological awareness deficits are created equal: evidence from a comparison between children with Otitis Media and poor readers. Dev Sci. 2018 May;21(3):e12588. doi: 10.1111/desc.12588. PMID: 28880490
- Casselbrant ML, Mandel EM, Rockette HE, Kurs-Lasky M, Fall PA, Bluestone CD, Ferrell RE. The genetic component of middle ear disease in the first 5 years of life. Arch Otolaryngol Head Neck Surg. 2004 Mar;130(3):273-8. doi: 10.1001/archotol.130.3.273. PMID: 15023832
- Castelhano L, Correia F, Colaco T, Reis L, Escada P. Tympanic membrane perforations: the importance of etiology, size and location. Eur Arch Otorhinolaryngol. 2022 Jan 14. doi: 10.1007/s00405-021-07186-6. PMID: 35028696
- Chonmaitree T, Jennings K, Golovko G, Khanipov K, Pimenova M, Patel JA, McCormick DP, Loeffelholz MJ, Fofanov Y. Nasopharyngeal microbiota in infants and changes during viral upper respiratory tract

- infection and acute otitis media. PLoS One. 2017 Jul 14;12(7):e0180630. doi: 10.1371/journal.pone.0180630. PMID: 28708872
- Chonmaitree T, Trujillo R, Jennings K, Alvarez-Fernandez P, Patel JA, Loeffelholz MJ, Nokso-Koivisto J, Matalon R, Pyles RB, Miller AL, McCormick DP. Acute Otitis Media and Other Complications of Viral Respiratory Infection. Pediatrics. 2016 Apr;137(4):e20153555. doi: 10.1542/peds.2015-3555. PMID: 27020793
- Cordeiro FP, da Costa Monsanto R, Kasemodel ALP, de Almeida Gondra L, De Oliveira Penido N. Extended high-frequency hearing loss following the first episode of otitis media. Laryngoscope. 2018 Dec;128(12):2879-2884. doi: 10.1002/lary.27309. PMID: 30194735
- Dewailly E, Ayotte P, Bruneau S, Gingras S, Belles-Isles M, Roy R. Susceptibility to infections and immune status in Inuit infants exposed to organochlorines. Environ Health Perspect. 2000 Mar;108(3):205-11. doi: 10.1289/ehp.00108205. PMID: 10706525
- Diercks GR, Cohen MS. The Effect of the COVID-19 Pandemic on Pediatric Tympanostomy Tube Placement. Otolaryngol Head Neck Surg. 2022 Jan;166(1):167-170. doi: 10.1177/01945998211008916. PMID: 33940984
- Elling CL, Scholes MA, Streubel SO, Larson ED, Wine TM, Bootpatch TC, Yoon PJ, Kofonow JM, Gubbels SP, Cass SP, Robertson CE, Jenkins HA, Prager JD, Frank DN, Chan KH, Friedman NR, Ryan AF, Santos-Cortez RLP. The *FUT2* Variant c.461G>A (p.Trp154*) Is Associated With Differentially Expressed Genes and Nasopharyngeal Microbiota Shifts in Patients With Otitis Media. Front Cell Infect Microbiol. 2022 Jan 14;11:798246. doi: 10.3389/fcimb.2021.798246. PMID: 35096646
- Everman JL, Saiuthi S, Saef B, Rios C, Stoner AM, Numata M, Hu D, Eng C, Oh S, Rodriguez-Santana J, Vladar EK, Voelker DR, Burchard EG, Seibold MA. Functional genomics of CDHR3 confirms its role in HRV-C infection and childhood asthma exacerbations. J Allergy Clin Immunol. 2019 Oct;144(4):962-971. doi: 10.1016/j.jaci.2019.01.052. PMID: 30930175
- Frank DN, Giese APJ, Hafren L, Bootpatch TC, Yarza TKL, Steritz MJ, Pedro M, Labra PJ, Daly KA, Tantoco MLC, Szeremeta W, Reyes-Quintos MRT, Ahankoob N, Llanes EGDV, Pine HS, Yousaf S, Ir D, Einarsdottir E, de la Cruz RAR, Lee NR, Nonato RMA, Robertson CE, Ong KMC, Magno JPM, Chiong ANE, Espiritu-Chiong MC, San Agustin ML, Cruz TLG, Abes GT, Bamshad MJ, Cutiogconde la Paz EM, Kere J, Nickerson DA, Mohlke KL, Riazuddin S, Chan A, Mattila PS, Leal SM, Ryan AF, Ahmed ZM, Chonmaitree T, Sale MM, Chiong CM, Santos-Cortez RLP. Otitis media susceptibility and shifts in the head and neck microbiome due to *SPINK5* variants. J Med Genet. 2021 Jul;58(7):442-452. doi: 10.1136/jmedgenet-2020-106844. PMID: 32709676
- Giese APJ, Ali S, Isaiah A, Aziz I, Riazuddin S, Ahmed ZM. Genomics of Otitis Media (OM): Molecular Genetics Approaches to Characterize Disease Pathophysiology. Front Genet. 2020 Apr 23;11:313. doi: 10.3389/fgene.2020.00313. PMID: 32391049
- Graydon K, Rance G, Dowell R, Van Dun B. Consequences of Early Conductive Hearing Loss on Long-Term Binaural Processing. Ear Hear. 2017 Sep/Oct;38(5):621-627. doi: 10.1097/AUD.0000000000000431. PMID: 28353521
- Hafrén L, Kentala E, Järvinen TM, Leinonen E, Onkamo P, Kere J, Mattila PS. Genetic background and the risk of otitis media. Int J Pediatr Otorhinolaryngol. 2012 Jan;76(1):41-4. doi: 10.1016/j.ijporl.2011.09.026. PMID: 22018929
- Hirsch SD, Elling CL, Bootpatch TC, Scholes MA, Hafrén L, Streubel SO, Pine HS, Wine TM, Szeremeta W, Prager JD, Einarsdottir E, Yousaf A, Baschal EE, Rehman S, Bamshad MJ, Nickerson DA, Riazuddin S, Leal SM, Ahmed ZM, Yoon PJ, Kere J, Chan KH, Mattila PS, Friedman NR, Chonmaitree T, Frank DN, Ryan AF, Santos-Cortez RLP. The role of CDHR3 in susceptibility to otitis media. J Mol Med (Berl). 2021 Nov;99(11):1571-1583. doi: 10.1007/s00109-021-02118-7. PMID: 34322716
- Kolluru K, Kumar S, Upadhyay P. A Study of Correlation Between Tympanic Membrane Perforation Size With Hearing Loss in Patients With Inactive Mucosal Chronic Otitis Media. Otol Neurotol. 2021 Jan;42(1):e40-e44. doi: 10.1097/MAO.0000000000002840. PMID: 33044337

- Krzyżak A, Zagólski O, Pawełek M, Stręk P. Paediatric otitis media with effusion is connected to deficits in music perception. *Logoped Phoniatr Vocol.* 2018 Apr;43(1):42-46. doi: 10.1080/14015439.2017.1312514. PMID: 28385090
- la Paz EMC, Pedro M, Yarza TKL, Lagrana-Villagracia SM, Amoranto AJP, Jover EJM, Domine MTB, Chiong CM, Santos-Cortez RLP. Genetic counseling in an indigenous Filipino community with a high prevalence of A2ML1-related otitis media. *J Community Genet.* 2019 Jan;10(1):143-151. doi: 10.1007/s12687-018-0368-2. PMID: 29949068
- Larson ED, Magno JPM, Steritz MJ, Llanes EGDV, Cardwell J, Pedro M, Roberts TB, Einarsdottir E, Rosanes RAQ, Greenlee C, Santos RAP, Yousaf A, Streubel SO, Santos ATR, Ruiz AG, Lagrana-Villagracia SM, Ray D, Yarza TKL, Scholes MA, Anderson CB, Acharya A; University of Washington Center for Mendelian Genomics, Gubbels SP, Bamshad MJ, Cass SP, Lee NR, Shaikh RS, Nickerson DA, Mohlke KL, Prager JD, Cruz TLG, Yoon PJ, Abes GT, Schwartz DA, Chan AL, Wine TM, Cutiongco-de la Paz EM, Friedman N, Kechris K, Kere J, Leal SM, Yang IV, Patel JA, Tantoco MLC, Riazuddin S, Chan KH, Mattila PS, Reyes-Quintos MRT, Ahmed ZM, Jenkins HA, Chonmaitree T, Hafrén L, Chiong CM, Santos-Cortez RLP. A2ML1 and otitis media: novel variants, differential expression, and relevant pathways. *Hum Mutat.* 2019 Aug;40(8):1156-1171. doi: 10.1002/humu.23769. PMID: 31009165
- Lechien JR, Hans S, Simon F, Horoi M, Calvo-Henriquez C, Chiesa-Estomba CM, Mayo-Yáñez M, Bartel R, Piersiala K, Nguyen Y, Saussez S. Association Between Laryngopharyngeal Reflux and Media Otitis: A Systematic Review. *Otol Neurotol.* 2021 Aug 1;42(7):e801-e814. doi: 10.1097/MAO.0000000000003123. PMID: 33710157
- Le Clerq CMP, van Ingen G, Ruytjens L, Goedegebuure A, Moll HA, Raat H, Jaddoe VWV, Baatenburg de Jong R, van der Schroeff M. Prevalence of Hearing Loss Among Children 9 to 11 Years Old: The Generation R Study. *JAMA Otolaryngol Head Neck Surg.* 2017 Sep 1;143(9):928-934. doi: 10.1001/jamaoto.2017.1068. PMID: 28750130
- Li J, Eriksson PO, Hansson A, Hellström S, Ny T. Plasmin/plasminogen is essential for the healing of tympanic membrane perforations. *Thromb Haemost.* 2006 Oct;96(4):512-9. PMID: 17003931
- Park M, Han J, Park J, Jang MJ, Park MK. [PMID: 34611241] Particular matter influences the incidence of acute otitis media in children. *Sci Rep.* 2021 Oct 5;11(1):19730. doi: 10.1038/s41598-021-99247-3. PMID: 34611241
- Pickrell JK, Berisa T, Liu JZ, Ségurel L, Tung JY, Hinds DA. Detection and interpretation of shared genetic influences on 42 human traits. *Nat Genet.* 2016 Jul;48(7):709-17. doi: 10.1038/ng.3570. PMID: 27182965
- Ravicz ME, Rosowski JJ, Merchant SM. Mechanisms of hearing loss resulting from middle-ear fluid. *Hear Res.* 2004 Sep;195(1-2):103-30. doi: 10.1016/j.heares.2004.05.010. PMID: 15350284
- Salehuddin NSM, Daud MKM, Othman NAN, Rahman NA. Extended high frequency hearing loss in tinnitus-positive chronic suppurative otitis media patient. *Laryngoscope Investig Otolaryngol.* 2021 Sep 4;6(5):1137-1141. doi: 10.1002/lio2.651. PMID: 34667858
- Santos-Cortez RLP, Bhutta MF, Earl JP, Hafrén L, Jennings M, Mell JC, Pichichero ME, Ryan AF, Tateossian H, Ehrlich GD. Panel 3: Genomics, precision medicine and targeted therapies. *Int J Pediatr Otorhinolaryngol.* 2020 Mar;130 Suppl 1(Suppl 1):109835. doi: 10.1016/j.ijporl.2019.109835. PMID: 32007292
- Santos-Cortez RLP, Chiong CM, Frank DN, Ryan AF, Giese APJ, Bootpatch Roberts T, Daly KA, Steritz MJ, Szeremeta W, Pedro M, Pine H, Yarza TKL, Scholes MA, Llanes EGDV, Yousaf S, Friedman N, Tantoco MLC, Wine TM, Labra PJ, Benoit J, Ruiz AG, de la Cruz RAR, Greenlee C, Yousaf A, Cardwell J, Nonato RMA, Ray D, Ong KMC, So E, Robertson CE, Dinwiddie J, Lagrana-Villagracia SM; University of Washington Center for Mendelian Genomics (UWCMG), Gubbels SP, Shaikh RS, Cass SP, Einarsdottir E, Lee NR, Schwartz DA, Gloria-Cruz TLI, Bamshad MJ, Yang IV, Kere J, Abes GT, Prager JD, Riazuddin S, Chan AL, Yoon PJ, Nickerson DA, Cutiongco-de la Paz EM, Streubel SO, Reyes-Quintos MRT, Jenkins HA, Mattila P, Chan KH, Mohlke KL, Leal SM, Hafrén L, Chonmaitree T, Sale MM, Ahmed ZM. FUT2 Variants Confer Susceptibility to Familial Otitis Media. *Am J Hum Genet.* 2018 Nov 1;103(5):679-690. doi: 10.1016/j.ajhg.2018.09.010. PMID: 30401457

- Santos-Cortez RL, Chiong CM, Reyes-Quintos MR, Tantoco ML, Wang X, Acharya A, Abbe I, Giese AP, Smith JD, Allen EK, Li B, Cutiongco-de la Paz EM, Garcia MC, Llanes EG, Labra PJ, Gloria-Cruz TL, Chan AL, Wang GT, Daly KA, Shendure J, Bamshad MJ, Nickerson DA, Patel JA, Riazuddin S, Sale MM; University of Washington Center for Mendelian Genomics, Chonmaitree T, Ahmed ZM, Abes GT, Leal SM. Rare A2ML1 variants confer susceptibility to otitis media. *Nat Genet*. 2015 Aug;47(8):917-20. doi: 10.1038/ng.3347. PMID: 26121085
- Santos-Cortez RL, Reyes-Quintos MR, Tantoco ML, Abbe I, Llanes EG, Ajami NJ, Hutchinson DS, Petrosino JF, Padilla CD, Villarta RL Jr, Gloria-Cruz TL, Chan AL, Cutiongco-de la Paz EM, Chiong CM, Leal SM, Abes GT. Genetic and Environmental Determinants of Otitis Media in an Indigenous Filipino Population. *Otolaryngol Head Neck Surg*. 2016 Nov;155(5):856-862. doi: 10.1177/0194599816661703. PMID: 27484237
- Su JY, Guthridge S, He VY, Howard D, Leach AJ. Impact of hearing impairment on early childhood development in Australian Aboriginal children: A data linkage study. *J Paediatr Child Health*. 2020 Oct;56(10):1597-1606. doi: 10.1111/jpc.15044. PMID: 32725651
- Su JY, He VY, Guthridge S, Howard D, Leach A, Silburn S. The impact of hearing impairment on Aboriginal children's school attendance in remote Northern Territory: a data linkage study. *Aust N Z J Public Health*. 2019 Dec;43(6):544-550. doi: 10.1111/1753-6405.12948. PMID: 31667969
- Utsunomiya T, Taniguchi N, Taniguchi Y, Fujino T, Tanaka Y, Hasunuma H, Okuda M, Shima M, Takeshima Y, Japan Environment and Children's Study Group Collaborators. Association between maternal insecticide use and otitis media in one-year-old children in the JapanEnvironment and Children's Study. *Sci Rep*. 2022 Jan 25;12(1):1365. doi: 10.1038/s41598-022-05433-2. PMID: 35079075
- Wasserman M, Chapman R, Lapidot R, Sutton K, Dillon-Murphy D, Patel S, Chilson E, Snow V, Farkouh R, Pelton S. Twenty-Year Public Health Impact of 7- and 13-Valent Pneumococcal Conjugate Vaccines in US Children. *Emerg Infect Dis*. 2021;27(6):1627-1636. doi: 10.3201/eid2706.204238. PMID: 34013855
- Wijayanti SPM, Wahyono DJ, Rejeki DSS, Octaviana D, Mumpuni A, Darmawan AB, Kusdaryanto WD, Nawangtantri G, Safari D. Risk factors for acute otitis media in primary school children: a case-control study in Central Java, Indonesia. *J Public Health Res*. 2021 Jan 12;10(1):1909. doi: 10.4081/jphr.2021.1909. PMID: 33489992
- Wiesen BM, Hafrén L, Einarsdóttir E, Kere J, Mattila PS, Santos-Cortez RLP. *ABO Genotype and Blood Type Are Associated with Otitis Media*. *Genet Test Mol Biomarkers*. 2019 Nov;23(11):823-827. doi: 10.1089/gtmb.2019.0135. PMID: 31693456